

# Purchase Order Receipt Listing

Friday, June 10, 2016 11:56:54 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO32609 Receipt Dates from 6/9/2016 to 6/9/2016 All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name											
PO32609	1		M6061T6T0.375W.05 f		6/10/2016	6/9/2016	120.0000		0.0000	0	\$0.00
USD	No		6061-T6 RD Tube f .375 x.058W m134993		120.0000	PLOU01			0.0000	0	
	3		M304TR0.375W.065 f		6/10/2016	6/9/2016	20.0000		0.0000	0	\$0.00
	No		304 RD Tube .375 x f .065W m134993		20.0000	PLOU01			0.0000	0	
	4		M304TR0.750W.049 f		6/10/2016	6/9/2016	80.0000		0.0000	0	\$0.00
	No		304 RD Tube .750 x f .049W m134993		80.0000	PLOU01			0.0000	0	

Total Received Quantity: 220.0000  
Total Qty to Inspect (PO U/M): 0.0000  
Total Reject Quantity: 0.0000  
Total Receipt Value: \$0.00  
Total Balance Due Quantity: 0.0000



PACKING SLIP



ORDER NO.: 60606243 FROM: CRAN PAGE 1

CUST NUMBER: 1203820 NET WGT: 41.777 REQ. DATE: 06/10/16 CONFIRMED

SOLD TO: DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKESBURY ON

CANADA

SALESPERSON: DONNA SMALLEY

NET 30 DAYS

SHIPPING POINT

PO32609 PART 1

RECEIVING PHONE:

RELEASE NO.:

PREPAID

COMMON CARRIER

06/07/16

SHIP BY:

VIA:

FRIGHT:

RECEIVING PHONE:

WIDTH

LENGTH

12 FT ML

8.136

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

4.303

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

20.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

29.338

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY

WT

WT

80.000

PCS

CLIN#

ORD QTY

INVOICE QTY

SHIPPED QTY



ORDER NO.: 60606243 FROM: CRAN



CUST NUMBER: 1203820 NET WGT: 41.777 REQ. DATE: 06/10/16 CONFIRMED

SOLD TO: DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKESBURY ON CANADA

SALESPERSON: DONNA SMALLEY

TERMS: NET 30 DAYS

F.O.B.: SHIPPING POINT

CUST ORD NO.: PO32609 PART 1

LINE ITEM DESCRIPTION

BROKERS KUEHNE AND NAGEL LTD

PACK INFO

AREA TYPE OF PKG PKGS GRS WEIGHT WIDTH LENGTH

DOUBLE CARTON 1.000 51.000 51.000 20.5000

UNLOAD TYPE: NONE SPECIFIED

DATE FILLED

DATE SHIPPED

RT 000- BY: ED

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE

OF THESE PRODUCTS ARE SET FORTH ON THE

REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PACKING SLIP

ORDER NO.: 60606243 FROM: CRAN PAGE 3



CUST NUMBER: 1203820 NET WGT: 41.777 REQ. DATE: 06/10/16 CONFIRMED

SOLD TO: DART AEROSPACE LTD

1270 ABERDEEN ST  
HAWKESBURY ON CANADA

SALESPERSON: DONNA SMALLEY

TERMS: NET 30 DAYS

F.O.B.: SHIPPING POINT

CUST ORD NO.: PO32609 PART 1

VIA: COMMON CARRIER

RELEASE NO.: PREPAID

RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at [www.twmetals.com](http://www.twmetals.com). MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for confiterous non-manufactured wood packing material"

Authorized Test Report Clerk *C. M. M. M.* Date: 6/07/16

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE  
OF THESE PRODUCTS ARE SET FORTH ON THE  
REVERSE SIDE FOR YOUR CAREFUL REVIEW.

PRECISION TUBE CO.  
287 WISSAHICKON AVE.  
NORTH WALES PA 19454

Control No: 171189

**CERTIFIED TEST REPORT**

CUSTOMER PURCHASE ORDER NO.		CUST. ORD. NO.		PRECISION TUBE P/N	
49342889 LINE 001		326185		24A037500580006	
SOLD TO: TW METALS 235 TUBEWAY CAROL STREAM, IL 60188 UNITED STATES			SHIP TO: TW METALS 235 TUBEWAY CAROL STREAM, IL 60188 UNITED STATES		
QUANTITY ORD.		DESCRIPTION			
3000 FT		METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P AMS-WW-T-700/6B ASTM-B-210-12 LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .3750 ID .0580 WALL +.0040 -.0040			
QTY. SHIPPED		DATE SHIPPED			
3120 FT		01/06/16			
MECHANICAL PROPERTIES					
SAMPLE #		TENSILE STRENGTH (P.S.I.)		YIELD STRENGTH (P.S.I.)	
1		44,954		40,057	
		14		14	
ROCKWELL HARDNESS		ELONGATION IN 2 INCHES (%)		AVERAGE GRAIN SIZE (MM.)	
DESTRUCTIVE TESTS					
FLATTENING: PASS					
Comments: FAR BAA COMPLIES, DPARS BAA COMPLIES, FAR TAA COMPLIES					
NON-DESTRUCTIVE TESTS					
ASSEMBLED BY: [Signature]					
EDDY CURRENT: PASS					
CHEMICAL COMPOSITION					
ALLOY: 6061					
HEAT: [Blank]					
TRACEABILITY #: 36420777					
RAW MATL VENDOR: PT55690 - Kalsec Aluminum					
SI		Fe		Cu	
0.40		0.15		0.15	
0.80		0.40		0.15	
0.70		0.15		0.15	
0.25		0.35		0.25	
0.15		0.04		0.15	
Mn		Mg		Cr	
Zn		Ti		Al	
Ram.					
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL					

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth in the drawing. During the manufacturing, testing, and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury-containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2011/65/EU).

Manufactured in the USA  
QMS Registered to ISO 9001: 2008


By: Art Onaitis  
QA Manager

01/13/16  
Page: 1 of 1

gmr

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
2425 STEVENS DRIVE  
RICHLAND, WA 99352

CUSTOMER PO NUMBER:		CUSTOMER PART NUMBER:		PRODUCT DESCRIPTION:	
PT55690		SPIRIT-371850		5.400 LB/PC, 500 LB/-0 LB 1.312 OD X .085 WALL ESRT	
KAISER ORDER NUMBER: LINE ITEM:		SHIP DATE:		KAISER LOT NUMBER:	
319478		11/13/2015		50751-310	
WEIGHT SHIPPED:		BL NUMBER:		DWA/DPA/THKNS:	
6395.000 LB		004887			
SHIP TO:					
PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA					
MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA					
SOLD TO:					



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	Elong In 2	HARDNESS	CONDUCT.	BLND
-----------	-------	---------	-----------	-----------	------------	----------	----------	------

50751-310	0001	0001	18.0	6.5	27.6	N/A	N/A	N/A
50751-310	0001	0002	17.6	5.9	27.6	N/A	N/A	N/A
50751-310	0001	0003	17.9	6.2	27.6	N/A	N/A	N/A
50751-310	0001	0004	17.9	5.9	26.8	N/A	N/A	N/A
50751-310	0001	0005	18.5	6.1	28.4	N/A	N/A	N/A
50751-310	0001	0006	18.1	6.0	28.7	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	SI	FE	CU	MN	MG	CR	ZN	TI	PB	BI	LC	EA	TOT
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F82353	.58	.32	.22	.05	1.02	.09	.05	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-13 ASTM-B345-11 AMS-QQ-A-200/8 97(R07) TYPE I  
UNS#A96061 Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.





**KAISER**  
**FABRICATED PRODUCTS**  
**ALUMINUM**

*Best in Class*

**CERTIFIED TEST REPORT**  
<http://Online.KaiserAluminum.com>


**KAISER ALUMINUM**  
**FABRICATED PRODUCTS, LLC**  
**2425 STEVENS DRIVE**  
**RICHLAND, WA 99362**

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

JOSEPH AMES, QUALITY MANAGER

*[Signature]*



# MILL TEST REPORT

Purchaser: TWM METALS-Cranbury	Certificate No.: 15-6-32
Contract No.: TWM P.O.No.: M49327983	Date of Issue: 2015.6.28
Commodity: Stainless Steel Seamless Tubes	Specifications: ASTM A213-14/ASME SA213-13/ASTM A269-14 EAW
Process: Cold Drawn	Delivery Condition: OD Polished to 240 Grit

Steel Grade	Heat Number	Lot Number	Dimensions	Quantity
TP304/TP304L	YX1410-664	5-59	3/8" x 0.065" x 20'	Pieces 250
				Feet 5,000

Element	C	Mn	P	S	Si	Cr	Ni	Mo	Co
Requirements	≤0.035	≤2.00	≤0.045	≤0.030	≤1.00	18.00-20.00	8.00-12.00	-	-
Ladle Analysis	0.010	0.63	0.028	0.001	0.46	18.33	8.05	-	-
Product Analysis	0.019	0.79	0.033	0.001	0.51	18.52	8.50	-	-

Mechanical Properties									
Test Item	Elongation (% in 2")	Tensile Strength (PSI)	Yield Strength (PSI)	Rm	Flaring	Flattening	Flange	P.M.T. Test	Test Results
Requirements	≥35	≥75,000	≥30,000						
Test Results	63/64	95,000/96,000	35,000/36,000						

Test Item	Reduction of Area Z (%)	Hardness	Cold Bend	Flaring	Flattening	Flange	P.M.I. Test	Test Results
Requirements	-	HRB≤80	-	30%	e=0.09	-	-	-
Test Results	-	77/79	-	Passed	Passed	-	-	-
Test Item	Eddy Current Test	Air Underwater Pressure Test	Ultrasonic	Intergranular Corrosion Test	Macroscopic Inspection			Test Results
Requirements	ASTM E 426	-	-	ASTM A262 E	End Cut	Appearance		OK
Test Results	Passed	-	-	OK	OK	OK		OK

ISO 9001:2008 Certified by Intertek 110703068

PED Certified by SZUTEST 2195-PED-1221604

## Additional Remarks:

(1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes

(2) All tubes tested per ASTM A1016-14

(3) Materials is NACE MR0103-2007 compliant (per Section 2.5)

(4) Materials is NACE MR0175/ISO 15156-2003 compliant (per Section 4.2.1)

(5) In Compliance with EN 10204-3.1

(6) In Compliance with RoHS Stipulation

(7) No weld repair performed

(8) Free from mercury contamination

(9) Free from radioactive contamination

(10) Billets melt and pipes/tubes manufactured in China

(11) All tubes 100% PMI tested

(12) All tubes 100% Eddy Current tested

We hereby certify that this report is true and correct.

James Shi / Manager

Quality Control Department

No. 59, Shuangye Road, Wanggang, New Pudong District, Shanghai, China

Shanghai Pufa Stainless Steel Pipe Factory

ACCEPTED BY

TW METALS

AUG 06 2015

16/06/13

DAS

By:

James Shi



CANNOT CERTIFY COMPLIANCE  
FAR BAA / DFARS BAA / FAR TAA



PUPA™

Producer of Premium Stainless Steel Seamless Tubes

# MILL TEST REPORT

Purchaser: TW METALS-Cranbury	Certificate No.: 15-8-138
Contract No.: TWM P.O.No.: M49330967	Date of Issue: 2015.8.31
Commodity: Stainless Steel Seamless Tubes	Specifications: ASTM A213-14/ASME SA213-13/ASTM A269-14 EAW
Process: Cold Drawn	Delivery Condition: OD Polished to 240 Grit

Steel Grade	Heat Number	Lot Number	Dimensions	Quantity
TP304/TP304L	YX1503-612	7-78	3/4" x 0.049" x 20'	Pieces 350
				Feet 7,000

Element	C	Mn	P	S	Si	Cr	Ni	Mo	Co
Requirements	≤0.035	≤2.00	≤0.045	≤0.030	≤1.00	18.00-20.00	8.00-12.00	-	-
Ladle Analysis	0.012	0.63	0.033	0.002	0.33	18.20	8.05	-	-
Product Analysis	0.024	0.65	0.033	0.003	0.37	18.18	8.37	-	-

Mechanical Properties									
Test Item	Elongation (% in 2")	Tensile Strength (PSI)	Yield Strength (PSI)						
Requirements	≥35	≥75,000	≥30,000						
Test Results	63/64	93,000/94,000	36,000/37,000						
Test Item	Reduction of Area Z (%)	Hardness	Cold Bend	Flaring	Flattening	Flange	P.M.T. Test		
Requirements	-	HRB≤80	-	22%	e=0.09	-	-		
Test Results	-	76/78	-	Passed	Passed	-	OK		

Test Item	Eddy Current Test	Air Underwater Pressure Test	Ultrasonic Test	Intergranular Corrosion Test	Macroscopic Inspection
Requirements	-	-	-	-	-
Test Results	Passed	-	-	-	-
Test Item	ASTM E 426				
Requirements	ASTM A262 E				
Test Results	End Cut				

ISO 9001:2008 Certified by Intertek 110703068 PED Certified by SZUTEST 2195-PED-1221604

## Additional Remarks:

(1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes

(2) All tubes tested per ASTM A1016-14  
(3) Materials is NACE MR0103-2007 compliant (per Section 2.5)  
(4) Materials is NACE MR0175/ISO 15156-2003 compliant (per Section 4.2.1)

CANNOT CERTIFY COMPLIANCE  
FAR BAA / DFARS BAA / FAR TAA

(5) In Compliance with EN 10204-3.1  
(6) In Compliance with RoHS Stipulation  
(7) No weld repair performed  
(8) Free from mercury contamination  
(9) Free from radioactive contamination  
(10) Billets melt and pipes/tubes manufactured in China  
(11) All tubes 100% PMI tested  
(12) All tubes 100% Eddy Current tested

By:




James Shi / Manager

Quality Control Department

## Shanghai Pufa Stainless Steel Pipe Factory

No. 59, Shuangye Road, Wanggang, New Pudong District, Shanghai, China



326091134993	PO / BATCH NO	750X.04910	THICKNESS ORDERED	750X.04910	THICKNESS RECEIVED	750X.04910	SHEET SIZE ORDERED	750X.04910	SHEET SIZE RECEIVED
--------------	---------------	------------	-------------------	------------	--------------------	------------	--------------------	------------	---------------------

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK			
RECORD RESULTS BELOW			
TYPE OF MATERIAL	SIZE OF TEST SAMPLE	HARDNESS / DUROMETER READING	
HRC			
HRB			
DUR A			
DUR D			

*Testers located in the Quality Office*

Attach this inspection sheet with the corresponding material cert and sign to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL 1161761.375W.058  
 DATE 16/06/13  
 MATERIAL CERT RECD 411  
 QUANTITY RECEIVED 1201  
 QUANTITY INSPECTED 1201  
 QUANTITY REJECTED  
 THICKNESS ORDERED 3.75X.058W  
 THICKNESS RECEIVED 3.75X.054W  
 SHEET SIZE ORDERED  
 SHEET SIZE RECEIVED  
 PO / BATCH NO 32108/134993

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	<input checked="" type="radio"/> Y	
CORRECT FINISH	<input checked="" type="radio"/> Y	
CORROSION	<input checked="" type="radio"/> Y	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	
PHOTO REQUIRED	<input checked="" type="radio"/> Y	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	
CORRECT # ON THE MATERIAL	<input checked="" type="radio"/> Y	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="radio"/> Y	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="radio"/> Y	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK			
TYPE OF MATERIAL	RECORD RESULTS BELOW	HARDNESS / DUROMETER READING	TESTERS located in the Quality Office
HRC			
HRB			
DUR A			
DUR D			

**QC 18 INSPECTION**

INSPECTED BY DAS  
 DATE 16/08/13  
 SIGNED OFF BY \_\_\_\_\_  
 DATE \_\_\_\_\_

**ENGINEERING SIGNOFF (if required)**

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

H:\FORMS\Quality Assurance\approved OAMRIF Material Receipt Inspection Form revb

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL H304TR.375W.065 DATE 12/06/13  
 MATERIAL CERT RECD 420 QUANTITY RECEIVED 420 QUANTITY INSPECTED 420 QUANTITY REJECTED \_\_\_\_\_  
 PO / BATCH NO 32609/134973 THICKNESS ORDERED 375X.0650 THICKNESS RECEIVED 375X.065W  
 SHEET SIZE ORDERED \_\_\_\_\_ SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	
CORROSION	<input checked="" type="checkbox"/> Y	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	
CORRECT # ON THE MATERIAL	<input checked="" type="checkbox"/> Y	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK			
TYPE OF MATERIAL	SIZE OF TEST SAMPLE	HARDNESS / DUBOMETER READING	TESTERS located in the Quality Office
HRC			
HRB			
DUR A			
DUR D			

**QC 18 INSPECTION**  
 INSPECTED BY DAS 14 12/08/13  
 SIGNED OFF BY \_\_\_\_\_ DATE \_\_\_\_\_  
 ENGINEERING SIGNOFF (if required)

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

**PURCHASE ORDER**  
Purchase Order ID PO32609  
Purchase Order Date 6/6/2016  
PO Print Date 6/6/2016

Page Number 1 of 2

Order From :

TW METALS  
PO BOX 933014  
ALTANTA, GA 31193-3014  
US

Ship To : DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

E-MAILED  
JUN 6 2016

Contact Name

585 768 5600

Ship To Contact

Ship To Phone

Ship Via:

YRC COLLECT

Ship Acct:

FCA - (Free Carrier)

FOB

Currency

USD

Terms

Net 30

Customer Tax #

10127-2607

Customer POID

Chantal Lavoie

Buyer

Line	Reference	Description/	Mfg ID	Reg Date/	CD	Reg Qty/	Unit of	Measure	PO Unit Price	Extended
------	-----------	--------------	--------	-----------	----	----------	---------	---------	---------------	----------

Nbr	Vendor Part Number	Line Comments	Delivery Comments
-----	--------------------	---------------	-------------------

1	M6061T6T0.375W.058	6061-T6 RD Tube .375	x.058W	6/10/2016		120.00			\$2.15	\$258.00
---	--------------------	----------------------	--------	-----------	--	--------	--	--	--------	----------

		Yes	6/13/2016							
--	--	-----	-----------	--	--	--	--	--	--	--

		Yes	6/10/2016			20.00			\$6.40	\$128.00
--	--	-----	-----------	--	--	-------	--	--	--------	----------

		Yes	6/13/2016							
--	--	-----	-----------	--	--	--	--	--	--	--

2	M6061T6T1.500W.125	6061T6 RD TUBE 1.50 X	.125W	6/10/2016		20.00			\$6.40	\$128.00
---	--------------------	-----------------------	-------	-----------	--	-------	--	--	--------	----------

		Yes	6/13/2016							
--	--	-----	-----------	--	--	--	--	--	--	--

		Yes	6/10/2016			20.00			\$1.85	\$37.00
--	--	-----	-----------	--	--	-------	--	--	--------	---------

		Yes	6/13/2016							
--	--	-----	-----------	--	--	--	--	--	--	--

3	M304TR0.375W.065	304 RD Tube .375 x .065W		6/10/2016		20.00			\$1.85	\$37.00
---	------------------	--------------------------	--	-----------	--	-------	--	--	--------	---------

		Yes	6/13/2016							
--	--	-----	-----------	--	--	--	--	--	--	--

Note:

6/6/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

**PURCHASE ORDER**  
Purchase Order ID PO32609  
Purchase Order Date 6/6/2016  
PO Print Date 6/6/2016

Page Number 2 of 2

Order From :

VU-TWM001

Ship To : DART AEROSPACE LTD

TW METALS  
PO BOX 933014  
ALANTA, GA 31193-3014  
US  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone 585 768 5600  
Ship To Contact  
Ship To Phone  
Ship Via:  
Ship Acct:  
YRC COLLECT  
Buyer  
Customer POID  
Customer Tax #  
Terms  
Currency  
FOB  
FCA - (Free Carrier)  
Chantal Lavoie  
Net 30  
USD

Line Total: \$37.00

4 M304TR0.750W.049 304 RD Tube .750 x .049W 6/10/2016 Yes 80.00 \$2.10 \$168.00

Sold 6/10

Line Total: \$168.00

5 71401-45 PROCUREMENT 6/10/2016 No 1.00 \$0.00

Procurement Quality Clauses  
A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification (as applicable)  
A026 certification of material conformance  
A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents

Line Total: \$0.00

PO Total: \$591.00

Handwritten initials/signature

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 1 Change Date: 6/6/2016